

IN THE CLAIMS

The following listing of claims will replace all prior versions and listings of claims in the application.

Listing of Claims

1. (canceled)

1 2. (currently amended) A seat assembly for a motor vehicle having a tub disposed at
2 least partially in a floor of the vehicle, the seat assembly comprising:
3 a seat cushion translatable on at least one track to a position generally above the
4 tub, the seat cushion being stowable in the tub ~~The seat assembly of claim 1~~ wherein the at least
5 one track is disposed generally laterally in the vehicle.

1 3. (currently amended) A seat assembly for a motor vehicle having a tub disposed at
2 least partially in a floor of the vehicle, the seat assembly comprising:
3 a seat cushion translatable on at least one track to a position generally above the
4 tub, the seat cushion being stowable in the tub ~~The seat assembly of claim 1~~ wherein the seat
5 cushion has an underside, and the underside presents a load floor when the seat cushion is
6 stowed in the tub.

1 4. (original) The seat assembly of claim 3 wherein the load floor is generally even
2 with the floor of the vehicle.

1 5. (currently amended) The seat assembly of claim ~~1~~2 wherein the seat cushion is
2 rotatable about an axis generally perpendicular to the at least one track.

1 6. (currently amended) The seat assembly of claim ~~1~~2 further comprising at least
2 one leg extending between the seat cushion and the at least one track.

1 7. (original) The seat assembly of claim 6 wherein the at least one leg is pivotably
2 connected to the seat cushion.

1 8. (original) The seat assembly of claim 6 wherein the at least one leg is releasably
2 connected to the at least one track.

1 9. (original) The seat assembly of claim 6 further comprising at least one second leg
2 connected to the seat cushion, the at least one second leg being disposed inboard in the vehicle
3 from the at least one leg.

1 10. (original) A seat assembly for a motor vehicle having a floor, the seat assembly
2 comprising:

3 at least one track disposed generally laterally in the vehicle;

4 a tub disposed at least partially in the floor; and

5 a seat cushion translatable on the at least one track to a position generally above
6 the tub, the seat cushion being stowable in the tub.

1 11. (original) The seat assembly of claim 10 wherein the seat cushion has an
2 underside, and the underside presents a load floor when the seat cushion is stowed in the tub.

1 12. (original) The seat assembly of claim 11 wherein the load floor is generally even
2 with the floor of the vehicle.

1 13. (original) The seat assembly of claim 10 wherein the seat cushion is rotatable
2 about an axis generally perpendicular to the at least one track.

1 14. (original) The seat assembly of claim 10 further comprising at least one leg
2 extending between the seat cushion and the at least one track.

1 15. (original) The seat assembly of claim 14 wherein the at least one leg is pivotably
2 connected to the seat cushion.

1 16. (original) The seat assembly of claim 15 wherein the at least one leg is releasably
2 connected to the at least one track.

1 17. (original) The seat assembly of claim 14 further comprising at least one second
2 leg connected to the seat cushion, the at least one second leg being disposed inboard in the
3 vehicle from the at least one leg.

1 18. (new) The seat assembly of claim 3 wherein the seat cushion is rotatable about an
2 axis generally perpendicular to the at least one track.

1 19. (new) The seat assembly of claim 3 further comprising at least one leg extending
2 between the seat cushion and the at least one track.

1 20. (new) The seat assembly of claim 19 wherein the at least one leg is pivotably
2 connected to the seat cushion.